

Technical specifications

MAIN CHARACTERISTICS

- Dual function: Transport Platform (TP)/Material Hoist (MH)
- Robust design for max endurance in construction and refurbishment jobsite
- Simple and reliable design
- Completely reversible right/left for the maximum flexibility in the jobsite
- Entrance on 3 sides allowed
- New triangular mast design, with integrated bolts for the fastest erection and dismantling
- Safety device
- Overload protection device
- Erection ramps




		TPL 500	TPL 300
		3Ph version	1Ph version
Payload capacity		500 kg (1,100 lbs)	300 kg (660 lbs)
Number of persons max (included on payload)	TP mode	5	3
Number of persons -	MH mode	0	0
Lifting speed	TP mode	12 m/min (39 ft/min)	10 m/min (33 ft/min)
Lifting speed	MH mode	24 m/min (79 ft/min)	10 m/min (33 ft/min)
Platform dimensions [W X L]		1.4X1.6 m (4'7" x 5'3")	1.4X1.6 m (4'7" x 5'3")
Max Lifting height (tied)		100* m (328*ft)	50* m (164*ft)
Max Tie distance		7.5 m (24'7")	7.5 m (24'7")
Max Overhang		4.5 m (14'9")	4.5 m (14'9")
Max 1st Tie Height		6 m (19'8")	6 m (19'8")
Power supply		400 V - 50 Hz, 3Ph	230 V - 50 Hz, 1Ph
Rated Power		3.7 kW (TP) / 4.4 kW (MH)	1.5 kW
Rated current		11 A	9 A
Power consumption		7.5 kVA	2.5 kVA
Type of mast		Triangular 350, tubular steel with intergrate bolts	

* Increased lifting height on request.

ALIMAK TPL 500 & 300


MAIN DIMENSION



TPL 500 & 300	Weights (kg)
Base Unit	850
Mast	50
Tie In	42
Cable Guide	4

ENTRANCE EXIT ON A, B, C SIDE
EXIT ON A AND B SIDE

DIFFERENT ALTERNATIVE RAMP/DOOR SYSTEM



www.alimak.com



Pictures are illustrative only and do not necessarily show the configuration of products on the market at a given point in time. Products must be used in conformity with safe practice and applicable statutes, regulations, codes and ordinances. Specifications of products and equipment shown herein are subject to change without notice. Copyright © 2020 Alimak Group AB. All rights reserved. Alimak and Scando are registered trademarks of Alimak Group AB.